



भारतीय कृषि अनुसंधान परिषद्
INDIAN COUNCIL OF AGRICULTURAL RESEARCH

कृषि भवन, डॉ राजेंद्र प्रसाद मार्ग, नई दिल्ली-110001
KRISHI BHAWAN, Dr. RAJENDRA PRASAD ROAD, NEW DELHI -110001

F. No. 8(1)/2019-Per.IV

Date: 12.03.2024

Office Memorandum


Sub.:- Minimum Educational Qualification for direct recruitment of entry level scientists through ARS Examination.

Reference Council's OM of even number dated 11.11.2020 vide which the minimum educational qualification for direct recruitment of entry level scientist was revised from Master's degree in the relevant subject to Ph.D. degree in the relevant subject w.e.f. 01.07.2021.

2. The issue has been reviewed by the Council in consultation with all stakeholders in view of the *University Grants Commission (Minimum Qualifications for Appointment of Teachers and other Academic Staff in Universities and Colleges and other Measures for the Maintenance of Standards in Higher Education) (2nd Amendment) Regulations, 2023 dated 30.06.2023* and their subsequent public notice dated 06.07.2023.

3. Accordingly, the minimum educational qualification for direct recruitment of entry level ARS scientist stands reverted to Master's degree in the relevant subject instead of Ph.D. degree in the relevant subject, with the approval of Competent Authority.

4. With this, Council's OM of even number dated 11.11.2020 stands superseded and the revised essential educational qualification (Master's Degree in the relevant subject) stands effected from the date of issue of this OM.


(Naresh Kumar Sharma)
Dy. Secretary (Pers.)

Distribution:-

1. PS to Hon'ble AM
2. PS to Hon'ble MoS (A&FW)
3. Chairman, ASRB / Secretary, ASRB
4. All DDGs/Independent ADGs
5. Directors of all ICAR Institutes/NRCs/Bureaux/Directorates
6. DS (P-I/ P-II/P-III)
7. Information System Officer, DKMA for uploading on ICAR website
8. e-Office Notice Board
9. Guard File

Copy for information to:

1. PPS to DG, ICAR.
2. Sr. PPS to Secretary, ICAR / PPS to FA, ICAR

Note:- Please download the copy of this OM according to requirement as the same is not being distributed separately.